Multimedia Document Summarization based on a Semantic Adaptation Framework

Sébastien Laborie, Jérôme Euzenat and Nabil Layaïda

SADPI'07



Motivations

A multimedia document example



A movie trailer presentation

• specified with a multimedia description language (SMIL).

A (1) > (1) = (1)

• designed for a laptop.



Introduction

Motivations



Introduction

Motivations

Multimedia document adaptation



э

伺 ト く ヨ ト く ヨ ト



э

3

< ∃ →

- A multimedia document specification is composed of :
 - A set of multimedia objects.



- A multimedia document specification is composed of :
 - A set of multimedia objects.
 - A set of relations between multimedia objects.



- A multimedia document specification is composed of :
 - A set of multimedia objects.
 - A set of relations between multimedia objects.
 - Represented with a relation graph.



- A multimedia document specification is composed of :
 - A set of multimedia objects.
 - A set of relations between multimedia objects.
 - Represented with a relation graph.
- Adaptation of the multimedia document composition.



- A multimedia document specification is composed of :
 - A set of multimedia objects.
 - A set of relations between multimedia objects.
 - Represented with a relation graph.
- Adaptation of the multimedia document composition.
- The adapted document should be close to the initial one.



Our contribution

- Capability of suppressing multimedia objects.
- 2 applications may result :
 - Profiles express that some multimedia objects are forbidden.
 → Remove forbidden multimedia objects.
 - Profiles express that only a certain number of multimedia objects are allowed.
 - \longrightarrow Summarize multimedia documents.

Outline

Removing Multimedia Objects

- Multimedia Document Specification
- Multimedia Document Adaptation

2 Summarizing Multimedia Document



Outline

Removing Multimedia Objects

- Multimedia Document Specification
- Multimedia Document Adaptation

2 Summarizing Multimedia Document

3 Conclusion

Multimedia Document Specification





Multimedia Document Specification

(e)

_



✓ { meets }

{meets}

Dates

Characters

equals (e)

Multimedia Document Specification



Characters

 $\{bi\}$

. { m }

 $\{m\}$

{bi}

Dates

_

(si) started-by

(fi) finished-by

(e)

9

starts (s)

finishes (f)

equals (e)

• Identify the target device profile : no video & no simultaneity.



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :
 - Videos are forbidden : suppress Characters and Trailer.



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :
 - Videos are forbidden : suppress Characters and Trailer.
 - Overlapping objects are impossible at a time.



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :
 - Videos are forbidden : suppress Characters and Trailer.
 - Overlapping objects are impossible at a time.
- Compute adapted solutions close to the initial document.
 - Problem : different nodes number in both graphs.



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :
 - Videos are forbidden : suppress Characters and Trailer.



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :
 - Videos are forbidden : suppress Characters and Trailer.
 - Overlapping objects are impossible at a time.



- Identify the target device profile : no video & no simultaneity.
- Identify the possible relations according to the profile :
 - Videos are forbidden : suppress Characters and Trailer.
 - Overlapping objects are impossible at a time.
- Compute adapted solutions close to the initial document.
 - Preserve a maximum of initial relations.











• Compute adapted solutions close to the initial document.



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.

• distance =
$$\sum_{i=1}^{n} \delta(r_i, p_i)$$



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.

• distance =
$$\sum_{i=1}^{n} \delta(r_i, p_i) = 1$$



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i) = 1$ (minimal)



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i) = 1$ (minimal)
 - Remove forbidden multimedia objects.







< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

э





< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

э





Gaps are meaningless for end users.

・ロト ・同ト ・ヨト ・ヨト

- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i)$



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i) = 1$



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i) = 1 + 1 = 2$



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i) = 1 + 1 = 2$ (minimal)



- Compute adapted solutions close to the initial document.
 - Select consistent possible relation graphs.
 - Verify contiguity between non-forbidden multimedia objects.
 - distance = $\sum_{i=1}^{n} \delta(r_i, p_i) = 1 + 1 = 2$ (minimal)
 - Remove forbidden multimedia objects.







The adapted document : • satisfies the profile & objects contiguity

• is close to the initial one.

< ロ > < 同 > < 回 > < 回 > < 回 > <

Outline

Removing Multimedia Objects

- Multimedia Document Specification
- Multimedia Document Adaptation

2 Summarizing Multimedia Document

3 Conclusion

Multimedia Document Summarization

• Identify the target profile : only 1 video & no simultaneity.



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters
 - Overlapping objects are impossible at a time.



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters or suppress Trailer.
 - Overlapping objects are impossible at a time.



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters or suppress Trailer.
 - Overlapping objects are impossible at a time.
- Compute adapted solutions close to the initial document.



A possible summarized adapted execution





< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

э

- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters or suppress Trailer.
 - Overlapping objects are impossible at a time.
 - Select some prefered possible relation graphs.



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters or suppress Trailer.
 - Overlapping objects are impossible at a time.
 - Select some prefered possible relation graphs.



- Identify the target profile : only 1 video & no simultaneity.
- Identify the possible relation graphs according to the profile :
 - Only 1 video : suppress Characters or suppress Trailer.
 - Overlapping objects are impossible at a time.
 - Select some prefered possible relation graphs.
- Compute adapted solutions close to the initial document.



A possible summarized adapted execution





< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ > < □ >

Outline

Removing Multimedia Objects

- Multimedia Document Specification
- Multimedia Document Adaptation

2 Summarizing Multimedia Document



Prototype



- Edit SMIL documents.
- Specify adaptation constraints (i.e., the profile).
- Adapt the multimedia document specification.
- Execute the adapted multimedia document.

(日) (同) (三) (三)

Conclusion and future works

Conclusion :

- A uniform approach to deal wih forbidden multimedia objects.
- Proposition of a preference-based adaptation which summarize multimedia documents.
- Application to concrete multimedia documents (SMIL).

Future Works :

- Select particular adapted solutions.
- Summarize the spatio-temporal-hypermedia dimension.

Thank you for your attention !

sebastien.laborie@inrialpes.fr

∃ ►